



License Server

Version 4.0

User Guide

Information in this document is subject to change without notice and does not represent a commitment on the part of the vendor or its representatives. No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, without the written permission of Pitney Bowes Software Inc., One Global View, Troy, New York 12180-8399.

© 2013 Pitney Bowes Software Inc. All rights reserved. Pitney Bowes Software Inc. is a wholly owned subsidiary of Pitney Bowes Inc. Pitney Bowes, the Corporate logo, MapInfo, Group 1 Software, and License Server are trademarks of Pitney Bowes Software Inc. All other marks and trademarks are property of their respective holders.

Contact information for all Pitney Bowes Software Inc. offices is located at: <http://www.pb.com/contact-us>.

© 2013 Adobe Systems Incorporated. All rights reserved. Adobe, the Adobe logo, Acrobat and the Adobe PDF logo are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries.

Products named herein may be trademarks of their respective manufacturers and are hereby recognized. Trademarked names are used editorially, to the benefit of the trademark owner, with no intent to infringe on the trademark.

May 17, 2013

Contents

Chapter 1: Introduction.....	5
Overview.....	6
License Server and Utility.....	6
Concurrent Licenses.....	6
Borrowable Licenses.....	6
Distributable Licenses.....	7
License Server Administrator.....	7
Chapter 2: Installation and Activation.....	9
System Requirements.....	10
System Notes.....	10
Installation.....	10
New Installation.....	11
Upgrade Installation.....	11
Stopping and Starting the License Server Utility.....	12
Accessing Windows Services.....	12
Stopping the License Server	12
Starting the License Server.....	13
Starting the License Server Utility.....	13
Port for License Server Utility.....	13
Activating a Server License.....	14
Automatic Activation.....	14
Email Activation.....	15
Connecting Users to the License Server.....	19
Chapter 3: Using the License Server Utility.....	21
Overview.....	22
License Summary Information.....	22

License Properties	22
Summary.....	23
License Detail.....	24
Usage List.....	24
Transferring a License	25
Automatic Transfer.....	25
Email Transfer.....	26
Refreshing the License List	27
Maximum Borrow Period	27
License Server Information	28
Troubleshooting	29

Introduction

This guide is designed to help you install, set up, and administer the Pitney Bowes Software License Server.

In this section:

- **Overview**6
- **License Server and Utility**6
- **Concurrent Licenses**6
- **Borrowable Licenses**6
- **Distributable Licenses**7
- **License Server Administrator**7

Overview

Your organization recently purchased software products from Pitney Bowes Software using a concurrent licensing scheme. A concurrent licensing scheme requires that a License Server be installed and maintained to handle requests for product licenses from other computers on the network.

License Server and Utility

The License Server handles requests for Pitney Bowes Software product licenses. The licenses will be distributable, concurrent, or borrowed.

The License Server Utility is an application that comes with the License Server. It enables you to configure the License Server and monitor the use of product licenses at your organization.

The License Server Utility supports a single license type per version. This means that you would need a License Server Utility to serve out concurrent licenses and a second License Server Utility to server out borrowable licenses when the licenses are for the same product version.

Concurrent Licenses

The concurrent license scheme enables multiple computers to run a product using a single License Server. The License Server limits the number of computers that can concurrently run a Pitney Bowes Software product to the number of concurrent licenses purchased by your organization.

When activating a concurrent license, you must supply the License Server computer name and port number to make the server connection. Once this information is entered correctly, the license check out occurs automatically each time the product is run.

Borrowable Licenses

Some concurrent licenses can be borrowed. Borrowable license enable you to use a product when your computer is not connected to the License Server. For example, if you have your product installed on a laptop computer, but will be away from the office, you can borrow a license to use the product while you are away.

The product must be connected to the License Server in order to borrow a license. The method you use to borrow a license depends on the product you are using. Please see your product documentation for more specific information.

When you borrow a license, you do so for a set period of time. If you have not returned the license before the end of the borrow period, the license is automatically returned to the License Server when next connected to it. See **Maximum Borrow Period** for instructions.

Distributable Licenses

Distributable licenses are much like borrowable licenses, however they do not expire after a set time period. Instead of borrowing a license for a finite time period, you activate the license for unrestricted use of the licensed product for an indefinite duration of time.

The product must be connected to the License Server in order to activate a distributable license. The method you use to activate a license depends on the product you are using. Please see your product documentation for more specific information.

When you no longer need to use the product you have licensed, you can return the distributable license back to the License Server and make it available to others in your organization.

License Server Administrator

The License Server Administrator is the person at your organization assigned to set up and configure the License Server. The Administrator's primary responsibilities are:

- Install and maintain the Pitney Bowes Software License Server.
- Activate a server license in order to manage product license use.
- Inform product users of the License Server computer name and port number they must use when checking in or out product licenses.
- Monitor Pitney Bowes Software product licenses using the License Server Utility.
- Specify the maximum borrow limit for which a user can borrow a license.

Installation and Activation

This section explains how to install the License Server and activate a server license.

In this section:

- **System Requirements**10
- **Installation**10
- **Stopping and Starting the License Server Utility**12
- **Starting the License Server Utility**13
- **Activating a Server License**14
- **Connecting Users to the License Server**19

System Requirements

This product is tested on the following Microsoft Windows Desktop Operating Systems:

- Windows XP Professional 32-bit Service Pack 3 (SP3)
- Windows 7 Ultimate 32-bit SP1
- Windows 7 Ultimate 64-bit SP1 with 32-bit compatibility mode
- Windows 2008 Server 32-bit SP2
- Windows 2008 Server R2 64-bit SP1 with XenApp 6.0
- Windows 2008 Server R2 64-bit SP1
- Windows 8 64-bit
- Windows 2012 Server 64-bit

System Notes

There are no special instructions for installing the License Server Utility on a 64-bit Windows Operating System.

The License Server Utility runs in the following virtualized environments:

- VMware Workstation 7.0
- VMware ESX 4.0 and 4.1

Installation

This section explains how to install the License Server for the following scenarios:

- New installation – You are installing the License Server for the first time, or you have removed your earlier installation. See **New Installation** for instructions.
- Upgrade installation – You are installing the License Server over an earlier version of the product. For instructions, see **Upgrade Installation** on page 11.

When you install the License Server, the License Server Utility is also installed. The License Server lets you activate server licenses for Pitney Bowes Software products and perform server administration tasks.

Note: If you are upgrading a product using a borrowable or distributed license, make sure that you install a compatible version of the License Server Utility. A compatible License Server Utility version is one that is released with or after the version of the product that you are upgrading to. If you install or upgrade MapInfo Professional 12.0, ensure that you install License Server Utility 4.0.

Using an incompatible version of the License Server Utility might result in the following issues while fetching licenses for the product:

- The product is unable to borrow a borrowable license.
- The product is unable to activate a distributed license from the License Server.

If this occurs, contact your License Server administrator and have them upgrade the License Server to a version compatible to your product.

After successfully borrowing or activating a license, if you revert back to an older version of the License Server Utility, you cannot transfer borrowed and/or activated license back to the License Server. If you try, the operation pauses without an error message.

New Installation

To install the License Server:

1. Insert the media into the drive. Locate the License server utility on the DVD under **Install Products > MapInfo License Server**, or on the DVD at `Professional_PROG_DVD\Install\MILServ\MILS_Setup.exe`. If installing from the path:

- **Windows XP** – double-click the `MILS_Setup.exe` file to start the installation process.
- **Windows 7, 2008** – right-click the `MILS_Setup.exe` file and select **Run as Administrator** from the popup menu to install using elevated privileges. A prompt for permission to continue displays. Click **Allow** or **Yes** to proceed (if you do not respond and the message times-out, the install is unsuccessful).

The wizard begins to lead you through the installation process.

2. At the **Welcome** dialog box, click **Next**.
3. At the **License Agreement** dialog box, click the **I accept the terms of the license agreement** button. To print the license agreement, click **Print**. Click **Next**.
4. At the **Destination Folder** dialog box, select the location of the License Server. The default location is:

```
C:\Program Files\MapInfo\License Server\
```

5. Click **Change** to select a different location. Click **Next** when your destination folder is set.
6. At the **Server Port** dialog box, type the port number you want to use for the server in the **License Server Port Number** field. The default port is 27000. Click **Next**.

Note: Valid port numbers range from 1 to 64000.

7. At the **Ready to Install the Program** dialog box, click **Install**.
The License Server and License Server Utility will be installed using the settings you specified in the previous steps.
8. At the **Installshield Wizard Completed** dialog box, click **Finish**.

The License Server is installed.

Upgrade Installation

If you have an earlier version of the License Server installed, perform an upgrade installation.

When upgrading you may have a short period of downtime if users attempt to access the License Server while the update is in progress. If licenses are already activated on your existing License Server, upgrading will not transfer the licenses back to Pitney Bowes Software. If you wish to transfer the licenses back to Pitney Bowes Software, refer to **Transferring a License** on page 25.

To install the License Server:

1. Insert the media into the drive, and for:
 - **Windows XP** – double-click the `MILS_Setup.exe` file to start the installation process.

- **Windows 7, 2008** – right-click the `MILS_Setup.exe` file and select **Run as Administrator** from the popup menu to install using elevated privileges. A prompt for permission to continue displays. Click **Allow** or **Yes** to proceed (if you do not respond and the message times-out, the install is unsuccessful).

The wizard begins to lead you through the installation process.

2. At the **Welcome** dialog box, click **Next**.
3. At the **License Agreement** dialog box, click the **I accept the terms of the license agreement** button. To print the license agreement, click **Print**. Click **Next**.
4. At the **Ready to Install the Program** dialog box, click **Install**.
The License Server and License Server Utility will be installed using the settings you specified in the previous steps.
5. At the **Installshield Wizard Completed** dialog box, click **Finish**.

The License Server upgrade is installed.

Stopping and Starting the License Server Utility

You must use Windows Services to stop or start the License Server. Windows Services is located in the Windows Control Panel.

- **Accessing Windows Services** on page 12
- **Stopping the License Server** on page 12
- **Starting the License Server** on page 13
- **Starting the License Server Utility** on page 13

Accessing Windows Services

To access Windows Services:

1. From the **Start** menu, click **Control Panel**.
2. In the **Control Panel** window, double-click **Administrative Tools**.
3. In the **Administrative Tools** window, double-click **Services**.

Note: The instructions for accessing Windows Services are for the Windows XP operating system. If you are running a different Windows operating system, the location of Windows Services may be different.

Stopping the License Server

To stop the License Server:

1. Access Windows Services.
2. Locate **MapInfo License Server** in the Services list and click on it to highlight it.
3. Do one of the following:
 - Click **Stop**, which is located on the left side of the Services window.

- Choose **Action > Stop**
- Right-click to open the popup menu and click **Stop**.

When the service has stopped, the "Started" status is removed from the Status field of the Services window. Nothing displays in the Status field when a service is stopped.

Starting the License Server

To start the License Server:

1. Access Windows Services.
2. Locate **MapInfo License Server** in the Services list and click on it to highlight it.
3. Do one of the following:
 - Click **Start**, which is located on the left side of the Services window.
 - Choose **Action > Start**
 - Right-click to open the popup menu and click **Start**.

When the service has started, the service status changes to "Started" in the Status field of the Services window.

Starting the License Server Utility

To start the License Server Utility:

- From the Windows Start menu, choose **Program Files > MapInfo > License Server > License Server Utility** .

The License Server Utility application window displays on the screen.



When you start the License Server Utility for the first time, the License Server Utility application window is empty.

The title bar of the window indicates the License Server name and port number, and whether the server is running. If the License Server is not running, go to Windows Services and start the License Server (see [Starting the License Server](#) on page 13).

Port for License Server Utility

In case the License Server Utility is running on a machine behind the firewall, TCP/IP port for license server manager (lmgrd) and the vendor daemon (unisw20) should be explicitly specified in the license

file (`MILICSERVER.lic`). The specified ports should be opened on the firewall. The `MILICSERVER.lic` file is located in the `LicenseServerUtility` installation folder. The port information is specified in the first two (2) lines in the license file.

```
SERVER this_host ANY LicenseServerManagerPortnumber
```

```
VENDOR unisw20 PORT=VendorDemonPortNumber
```

The **LicenseServerManagerPortnumber** should be between 1–64000.

Note: After any change is done in the license file the Pitney Bowes Software License Server service should be restarted

Activating a Server License

To make licenses available to Pitney Bowes Software product users, you must activate a server license for the Pitney Bowes Software product being used. You must also have the following information about the Pitney Bowes Software product being licensed:

- Serial number
- Access code
- Number of licenses you want on your server

Note: This number cannot exceed the total number of licenses that your organization purchased. If using multiple license servers, the sum of the licenses on all servers cannot exceed the number of licenses purchased.

The serial number and access code are located on the product box and on the Product Activation Card that comes with your product.

There are two activation methods:

- **Automatic Activation**
- **Email Activation**


Automatic Activation

Automatic activation requires that you have an Internet connection.

The **Activation** wizard will make a one-time connection with a Pitney Bowes Software server. Using the activation credentials that came with your product, the **Activation** wizard will retrieve one of the licenses your organization purchased and associate it with your computer.


To activate a server license automatically:

1. From the Windows Start menu, choose **Program Files > MapInfo > License Server > License Server Utility** to start the License Server Utility.
The License Server Utility application window displays on the screen. You may see one or more existing licenses listed in the application window.
2. Choose **License > Activate**.
The **Specify Activation Credentials** dialog box displays on the screen.



3. Enter the serial number, access code, and the number of licenses for the License Server, and click **Next**.
The **Select Activation Method** dialog box displays on the screen.
4. Select **Automatic Activation**, and click **Next**.
The **Activation** wizard takes a few moments to transfer the activation credentials to Pitney Bowes Software and perform the activation. When the activation is completed, a message dialog box displays on the screen to tell you that the activation was successful.
5. Click **OK**.

The License Server Utility displays the number of licenses that you specified during the activation.



For information on server tasks and viewing license information, see [Using the License Server Utility](#) on page 21.


Email Activation

Select the Email Activation option if you do not have an Internet connection. The **Activation** wizard will guide you through the creation of an Activation Request file that you must then email to Pitney Bowes Software.

Pitney Bowes Software processes the request and sends back two Activation Response files. The **Activation** wizard uses the information in these files to activate the server license. These files must be processed subsequent to one another. Once you have completed the entire email activation process, you may delete the Activation Response files from your system.

To activate a server license via email:

1. From the Windows Start menu, choose **Program Files > MapInfo > License Server > License Server Utility** to start the License Server Utility.
The License Server Utility application window displays on the screen. You may see one or more existing licenses listed in the application window.
2. Choose **License > Activate**.
The **Specify Activation Credentials** dialog box displays on the screen.



The screenshot shows a dialog box titled "Server License Activation" with a blue header. The main title is "Specify Activation Credentials". Below the title, it says "Specify the information below in order to activate the server license for your product." There is a section titled "Activation Credentials" containing three input fields: "Serial Number:", "Access Code:", and "Number of licenses:". At the bottom of the dialog, there is a "NOTE: Your Serial Number and Access Code are printed on the product box as well as on a card inside the box. If you do not have these materials, contact Customer Service." and two buttons: "Cancel" and "Next >".

3. Enter the serial number, access code, and the number of licenses for the License Server, and click **Next**.
The **Select Activation Method** dialog box displays on the screen.
4. Select **Email Activation** and click **Next**.
The **Specify location to save Activation Request file** dialog box displays on the screen.
5. Select a folder in which to save the Activation Request file. Click the **Browse** button to navigate to the desired location. Click **OK**.
The selected path will appear in the box.
6. Click **Next**.
The **Save this important Information** dialog box displays on the screen.

The **Activation** wizard processes the Activation Response File, and the **Specify location to save Request** dialog box displays on the screen. Now you must create the second Activation Request file.

6. Select a folder in which to save the second Activation Request file. Click the **Browse** button to navigate to the desired location. Click **OK**.

The selected path will appear in the box. Note that the Activation request filename includes the serial number, access code, and license count for the product being activated.

7. Click **Next**.

The **Save this important information** dialog box displays on the screen.

This dialog box provides the information to send your Activation Request file to Pitney Bowes Software. The full path and filename of the Activation Request file is displayed in the **Activation Request File** box. Note that the Activation request filename includes the serial number, access code, and license count for the product being activated. The email address to send the file, activation@mapinfo.com, is displayed in the **Email address** box.

Take a few moments to write down the location of the Activation Request file and email address to send the Activation Request file. **Caution: Please do not edit the Activation Request file in any way. If you do, Pitney Bowes Software may not be able to process it and your activation will be delayed.**

8. Click **OK**.

The **Activation** wizard closes.

9. Email your Activation Request to Pitney Bowes Software activation@mapinfo.com


You can finish the email activation when you receive the second Activation Response file from Pitney Bowes Software. You should receive the Activation Response file within one business day.

Processing the Second Activation Response File

When you receive the second Activation Response file from Pitney Bowes Software, do the following:

1. Copy the Activation Response file you received from Pitney Bowes Software to an accessible folder on your computer and make note of the location.
2. Run the License Server Utility.
3. Choose **License > Process Response File**.
The **Process Email Activation Response** dialog box displays on the screen.
4. Click **Browse** to navigate to the location of the Activation Response file. Click **Open** in the **Locate Response file** dialog box when you have located the file.
The path and filename of the Activation Response file appear in the box.
5. Click **Next**.
The **Activation** wizard processes the Activation Response File and a message tells you that the activation was successful.
6. Click **OK**.

The License Server Utility displays the number of licenses that you specified during the activation.



For information on server tasks and viewing license information, see [Using the License Server Utility](#) on page 21.

After you have completed activation, you can delete the Activation Response files. You do not need to keep them on your computer.

Note: There are some instances when the License Server Administrator will only need one email exchange with Pitney Bowes Software to activate a server license. When this occurs, the procedure to process the first Activation Response file is skipped.

Connecting Users to the License Server

To run their Pitney Bowes Software products using a concurrent license, users must be able to connect to the License Server so that they can check out a license. To connect to the License Server, users must identify the following information about the License Server to their Pitney Bowes Software product:

- License Server name
- port number

After a user has established a License Server connection, the check out occurs automatically. At your earliest convenience, please provide your Pitney Bowes Software product users with this information.

Users are first prompted for this information when they install their product. If they do not have the information, they can complete the installation without filling in the License Server name and port number.

The next time users are prompted is when they run the product. If they do not have the information, they can run their Pitney Bowes Software product under the courtesy period, but at some point they will have to connect to the License Server to check out a license.

Using the License Server Utility

This section explains how to use the License Server Utility to monitor and administer the License Server.

In this section:

- **Overview**22
- **License Summary Information**22
- **License Properties**22
- **Transferring a License**25
- **Refreshing the License List**27
- **Maximum Borrow Period**27
- **License Server Information**28
- **Troubleshooting**29

Overview

The License Server Utility enables you to monitor the license usage on the License Server for Pitney Bowes Software products that your organization has purchased.

This section explains the tasks you can perform with the License Server Utility and where to find important information about the License Server and licenses.

Note: All procedures explained in this chapter assume that the License Server Utility is already open.

License Summary Information

When you open the License Server Utility, it updates the license usage from the License Server. A summary of the licenses and usage at your organization displays in the License Server Utility application window.

You can view the following information:

- **Product Name** – Indicates the product associated with the license or licenses.
- **Type** – The type of license your organization purchased: hybrid or concurrent.
- **Total Count** – The total number of licenses purchased.
- **Available Count** – The number of licenses available for check out.

To obtain more information about a license, use the License Properties.

License Properties


The License Properties provides more detailed information about the Pitney Bowes Software license usage at your organization.

To open the License Properties for a license:

1. Select an item in the license list to highlight it.
2. Choose **License > Properties**.

The **License Properties** dialog box displays on the screen. The License Properties are divided into three categories:

- **Summary** on page 23
- **License Detail** on page 24
- **Usage List** on page 24



Summary

The Summary section of the License Properties gives an overview of your organization's Pitney Bowes Software license usage. The Summary section provides all the information that you see in the application window of the License Server Utility, plus the number of licenses that have been checked out or borrowed.

The Summary section shows the following information:

Product

The name of the Pitney Bowes Software product as it appears in the main license list.

Total

The total number of licenses that were purchased.

Checked out

The number of licenses that have been checked out.

Borrowed

The number of licenses that have been borrowed.

Available

The number of licenses available for check out.

In the License Properties example, there are a total of 5 licenses, one of which has been checked out. No licenses have been borrowed.

License Detail

The License Detail section of License Properties provides more detail about the licenses for each product. The **License Detail** section shows the following information:

Serial number

The serial number associated with the product's server license.

Access code

The access code associated with the product's server license.

Type

Indicates whether the license is a hybrid, activatable or concurrent license.

Count

The number of licenses associated with that activation.

Trusted

Indicates whether the license is valid and is not suspected of being tampered with. (A license that is not trusted may be disabled.)

Enabled

Indicates whether a license is enabled.

There are some circumstances where it is possible to have more than one item in this list:

- If all the licenses associated with a particular serial number and access code are not activated at the same time, you will see multiple activations using the same access code.
- If your organization purchased additional licenses for the same product, you will see multiple activations using different access codes.

Usage List

The Usage List provides information about checked out and borrowed licenses.

The Usage list shows the following information:

Type

Indicates the status type of the licence: **Checked out** or **Borrowed**.

Computer

The name of the computer from which the license is being used.

Note: If the computer using the license is being remote controlled when the check out or borrow action occurs, then the name of the controlling computer will be reported.

User

Indicates the user of the checked out license. **User** information is not available for borrowed licenses.

Start Date

The date that the license was checked out. The **Start Date** is not available for borrowed licenses.

End Date

The date that the borrowed license expires. The **End Date** is not available for checked out licenses.

Transferring a License

If you want to move the License Server to another computer, you will need to transfer your server license to Pitney Bowes Software temporarily. After you install the License Server to the other computer, you can activate the server license again.

There are two license transfer methods:

Automatic Transfer

Select this option if you have an Internet connection on the computer where the License Server resides. Your license will be automatically transferred to Pitney Bowes Software. See **Automatic Transfer** for instructions.

Email Transfer

Select this option if you do not have an Internet connection. You will be guided through the creation of a Transfer Request file, which you must then email to Pitney Bowes Software. See **Email Transfer** for instructions.

Note: Before you can transfer a license to Pitney Bowes Software, all borrowed licenses must be returned. To review a list of users with borrowed licenses, choose **License > Properties**.

Automatic Transfer

To perform an automatic transfer, you must have an Internet connection.

To transfer a license automatically:

1. Select the item in the license list for the product server license you want to transfer.
2. Choose **License > Transfer**.
The **Select Transfer Method** dialog box displays on the screen.
3. Select **Automatic Transfer**, and click **Next**.
4. Do one of the following:
 - If you have one license record, go to the next step.
 - If you have more than one license record for a product license, the **Choose the license record to transfer** dialog box displays on the screen. Select the license record you want to transfer, and click **Next**.

A message displays asking you to confirm whether you want to transfer the license to Pitney Bowes Software.

5. Click **Yes**.
All activated licenses associated with the selected product are returned.

Note: If there is a borrowed license against the selected product, a message will display to inform you that all borrowed licenses must be returned before you can transfer the license.

Email Transfer

Email transfer requires an email exchange with Pitney Bowes Software where you create a Transfer Request file and send it to Pitney Bowes Software. Pitney Bowes Software processes the request and sends back a Transfer Response file. The **Transfer** wizard uses the information in the Transfer Response files to transfer the server license.

To transfer a server license via email:

1. Select the license you want to transfer from the license list.
2. Choose **License > Transfer**.
The **Select Transfer Method** dialog box displays on the screen.
3. Select **Email Transfer**, and click **Next**.
4. Do one of the following:
 - If you have one license record, go to the next step.
 - If you have more than one license record for a product license, the **Choose the license record to transfer** dialog box displays on the screen. Select the license record you want to transfer, and click **Next**.

A message displays asking you to confirm whether you want to transfer the license to Pitney Bowes Software.

5. Select a folder in which to save the Transfer Request file. Click the **Browse** button to navigate to the desired location. Click **OK**.
The selected path will appear in the box. The Transfer Request contains your serial number and access code, plus information that identifies the computer you are activating on.
6. Click **Next**.
The **Save this important information** dialog box displays on the screen.

The screenshot shows a dialog box titled "Pitney Bowes Software License Server Utility Activation" with a blue header. The main content area is light beige and contains the following text and fields:

Save this important information

You must email the Activation Request file to Customer Service. The location of the file and the email address to send it to are shown below. Copy this information down so you will have it when you are ready to send the email.

Activation Request file:

Email address:

NOTE: After you email the file to Customer Service, you will receive an email response with instructions to complete the activation. You should receive the response within one business day.

You will not be able to use your product until activation has been completed.

OK

This dialog box provides the information to send your Activation Request file to Pitney Bowes Software. The full path and filename of the Activation Request file is displayed in the **Activation Request File** box. Note that the Activation request filename includes the serial number, access code, and license count for the product being activated. The email address to send the file, activation@mapinfo.com, is displayed in the **Email address** box.

Take a few moments to write down the location of the Activation Request file and email address to send the Activation Request file. **Caution: Please do not edit the Activation Request file in any way. If you do, Pitney Bowes Software may not be able to process it and your activation will be delayed.**

7. Click **OK**.

The license record that you transferred still exists, but it has been marked as disabled. Users can no longer check out or borrow against the license. The license count has also been decremented.

If you view the License Properties, you will see the license record listed, but it is marked as disabled. The disabled license record will be removed if you activate another server license for the same product.

8. Email the Transfer Request file to Pitney Bowes Software activation@mapinfo.com. Pitney Bowes Software Customer Service will send you an email reply confirming that the transfer was successful. You should receive this confirmation within one business day.

Note: There is no Response file to process.

Refreshing the License List

When you refresh the license list, the license information is updated from the last time you started the License Server Utility.

To refresh the license list:

Choose **Server > Refresh**.

A progress window displays and the license list is updated.

Maximum Borrow Period

With MapInfo Professional using License Server Utility you can configure the maximum borrow limit on the License Server. The maximum borrow period is between 1 to 365 days. Once a new limit is set in the License Server Utility, a Pitney Bowes Software product user will be able to borrow a license to a maximum of that many number of days.

Note: The default maximum borrow limit is 365 days. If needed, an administrator can re-set the maximum borrow limit in the License Server Utility to a new value.

To display the Maximum Borrow Period, do the following using the License Server Utility:

1. Choose **Server > Maximum Borrow Period**.
The **Maximum Borrow Limit** dialog box displays.
2. Enter the maximum borrow limit (1 to 365 days) and click **OK**.
This value is set as the new maximum borrow limit.

License Server Information


The MapInfo Licenser Server Utility enables you to view information about the License Server using the log file. The log file is displayed in an application that is associated with a .txt file, like Notepad.

You can view the following information:

- Port number
- License Server computer name
- Service status (started or stopped)
- Version (of lmgrd.exe)

To display the log file, perform one of the following:

- Choose **File > Open Log File**.
- Browse to the License Server installation folder and open `log.txt`.



```
Log.txt - Notepad
File Edit Format View Help
-----
13:03:56 (lmgrd)
13:03:56 (lmgrd) Please Note:
13:03:56 (lmgrd)
13:03:56 (lmgrd) This log is intended for debug purposes only.
13:03:56 (lmgrd) In order to capture accurate license
13:03:56 (lmgrd) usage data into an organized repository,
13:03:56 (lmgrd) please enable report logging. Use Flexera Software
13:03:56 (lmgrd) LLC.
13:03:56 (lmgrd)
13:03:56 (lmgrd) software license administration solution,
13:03:56 (lmgrd) FLEXnet Manager, to readily gain visibility
13:03:56 (lmgrd) into license usage data and to create
13:03:56 (lmgrd) insightful reports on critical information like
13:03:56 (lmgrd) license availability and usage. FLEXnet Manager
13:03:56 (lmgrd) can be fully automated to run these reports on
13:03:56 (lmgrd) schedule and can be used to track license
13:03:56 (lmgrd) servers and usage across a heterogeneous
13:03:56 (lmgrd) network of servers including windows NT, Linux
13:03:56 (lmgrd) and UNIX. Contact Flexera Software LLC at
13:03:56 (lmgrd) www.flexerasoftware.com for more details on how to
13:03:56 (lmgrd) obtain an evaluation copy of FLEXnet Manager
13:03:56 (lmgrd) for your enterprise.
13:03:56 (lmgrd)
13:03:56 (lmgrd) -----
13:03:56 (lmgrd)
13:03:56 (lmgrd) pid 6948
13:03:56 (lmgrd) Done rereading
13:03:57 (lmgrd) FLEXnet Licensing (v11.10.1.0 build 99220 i86_n3)
13:03:57 (lmgrd) started on NOISA002GH-w1 (IBM PC) (5/1/2013)
13:03:57 (lmgrd) Copyright (c) 1988-2012 Flexera Software LLC. All
13:03:57 (lmgrd) Rights Reserved.
13:03:57 (lmgrd) US Patents 5,390,297 and 5,671,412.
13:03:57 (lmgrd) World wide Web: 'http://www.flexerasoftware.com
```

Troubleshooting

Creating a Log File for Capturing Error Messages

You can address licensing issues, such as the loss of licenses, by specifying that error messages from the License Server are written to a log file. You would use this capability when reporting licensing issues to your Customer Support Representative, who will assist you with setting the license logging level. Your Customer Support Representative will read the messages in this log file to assist with troubleshooting license issues.

To turn on error logging and specify the amount of information saved to a log file, you would set a License Server environment variable called `MI_LOGLEVEL` to a value of 1 to 3. Setting a value of zero (0) disables error logging. By default, the License Server logging level is set to one (1), which logs error messages for some specific situations and if there is a deletion of invalid licenses.

Logging Level	Action
0	Disables logging.
1	Logs short error messages and error codes, and logs if there is a deletion of invalid licenses. This is the default setting.
2	Logs detailed error messages and error codes, logs if there is a deletion of invalid licenses, and logs additional diagnostic messages.
3	Logs everything that level 2 logs with additional information. This level is only useful for client applications like MapInfo Professional that use borrowable or distributable licenses.

The License Server records every license activity that is happening on the server to a file called `PBLicense.log` in the Windows `%temp%` folder on the machine where the License Server is running. Client software, such as MapInfo Professional, records every license activity that is happening on the client machine to a file called `PBLicense.log` in the Windows `%temp%` folder on the client machine. The `%temp%` folder is set by default to:

Windows XP: `C:\Documents and Settings\\Local Settings\Temp`

Windows 7, 2008: `C:\Users\\AppData\Local\Temp`

When reporting a licensing issue to your Pitney Bowes Software Technical Support representative, you will send this log file along with the details of your issue.

if the log file reaches the maximum size limit (of approximately 1MB), then it is renamed to `PBLicense.bak`, and the new log entries are written in the new `PBLicense.log` file.

To set the logging level:

1. Select **Start > Run**. In the Run dialog box, type **Control Panel** and then:

On Windows XP: Select System.

On Windows 7, 2008: Select System and then Advanced System Settings.

2. In the **System Properties** dialog, select the Advanced tab and click Environment Variables.
3. In the **Environment Variable** dialog box, in the **User variables** panel, click **New**.
4. In the New User Variable dialog box:
 - In the **Variable name** field, type **MI_LOGLEVEL**.
 - In the **Variable value** field, type the logging level (a value of 0 to 3). Setting a value of zero (0) disables error logging. Setting no value, causes the License Server to use a default logging value of one (1).
5. Click **OK** to close the dialog boxes and save the new variable.

If the License Server is running, then stop and restart it now to apply the new system variable and start logging messages. If MapInfo Professional is running, then you must also restart it.

Index

A

Activating a Server License, Automatic Activation 14
Activating a Server License, Email Activation 15
administrator 7

B

borrowable license 6

C

concurrent license 6

D

distributable license 7

L

License Server 6
License Server Utility 6
license, borrowable 6
license, concurrent 6
license, distributable 7

T

Transferring a Server License, Automatic Transfer 25
Transferring a Server License, Email Transfer 26

